

Tag Number PI4		Parts to include SS tag with tag name	
Specification			
Fluid: Slake Slurry Ca(OH) ₂ , PCC Slurry CaCO ₃ , Water, Air, Flue Gas Contaminants: Temperature: < 170 F (or 77 C) Pressure: 150 psig maximum (or 10 Bar) pH: 5-13		Process Conditions	
Pressure Gage, USG Model P 500 or equivalent		Typical Selection	
1/4 inch MNPT 2 1/2 inch Diameter, Steel, black corrosion resistant paint Surface Stem, Lower		End Connection Face Dial Mounting	
Brass Brass		Bourdon Tube Connection Material	
Referece PID's or Equipment list. Most Common, 0-160psi, 0-60 psi, 0-100 psi, -30 to 15 psi, 0-15 psi.		Range	
Notes:		Rev 0	Date 8-Apr-10
By JLP		Reviewed	
Approved		Dwg Number STD-46.1 PI4	
		THIS DRAWING AND ALL INFORMATION THEREON IS THE PROPERTY OF SMI AND IS CONFIDENTIAL. THIS DRAWING AND INCLUDED INFORMATION MUST NOT BE MADE PUBLIC OR COPIED WITHOUT SMI PERMISSION. IT IS SUBJECT TO RETURN ON DEMAND.	
		VALVE TEMPLATE v1 29Jan08.xls	
		Page 1 of 1	



Specialty
MINERALS

Process Engineering
 1 Highland Ave. Bethlehem, PA
 18017